

Energy and material flows of megacities

Christopher A. Kennedy^{a,1}, Iain Stewart^a, Angelo Facchini^b, Igor Cersosimo^b, Renata Mele^b, Bin Chen^c, Mariko Uda^a, Arun Kansal^d, Anthony Chiu^e, Kwi-gon Kim^f, Carolina Dubeux^g, Emilio Lebre La Rovere^g, Bruno Cunha^g, Stephanie Pinceti^h, James Keirsteadⁱ, Sabine Barles^j, Semerdanta Pusaka^k, Juniati Gunawan^k, Michael Adegbile^l, Mehrdad Nazariha^m, Shamsul Hoqueⁿ, Peter J. Marcotullio^o, Florencia González Otharán^p, Tarek Genena^q, Nadine Ibrahim^a, Rizwan Farooqui^r, Gemma Cervantes^s, and Ahmet Duran Sahin^t

^aDepartment of Civil Engineering, University of Toronto, Toronto, ON M4J 3K1, Canada; ^bEnel Foundation, 00198, Rome, Italy; ^cSchool of Environment, Beijing Normal University, Beijing, China 100875; ^dDepartment of Energy and Environment, TERI University, Vasant Kunj, New Delhi, DL 110070, India; ^eDepartment of Industrial Engineering, De La Salle University, Malate, Manila, 1004 Metro Manila, Philippines; ^fDepartment of Landscape and Ecological Planning, Seoul National University, Seoul, South Korea 151-742; ^gCoimbra Institute of Postgraduate Research in Engineering, Federal University of Rio de Janeiro, University City, Rio de Janeiro, RJ 21941-901, Brazil; ^hInstitute of the Environment and Sustainability, University of California, Los Angeles, CA 90095; ⁱDepartment of Civil and Environmental Engineering, Laing O'Rourke Centre for Systems Engineering and Innovation, Imperial College London, London SW7 2AZ, United Kingdom; ^jInstitute of Geography, University of Paris, 75005 Paris, France; ^kDepartment of Accounting, Trisakti University, Jakarta Barat, DKI Jakarta 11440, Indonesia; ^lDepartment of Architecture, University of Lagos, Lagos 23401, Nigeria; ^mDepartment of Environmental Engineering, College of Engineering, University of Tehran, Tehran, Iran; ⁿDepartment of Civil Engineering, Bangladesh University of Engineering and Technology, Dhaka-1000, Bangladesh; ^oDepartment of Geography, Hunter College, New York, NY 10065; ^pEnvironmental Strategies Department, Environmental Protection Agency, Government of Buenos Aires City, Buenos Aires, Argentina; ^qEcoConServ Environmental Solutions, Zamalek, Cairo, Egypt 11211; ^rDepartment of Civil Engineering, Faculty of Civil Engineering and Architecture, NED University of Engineering and Technology, Karachi 75270, Pakistan; ^sDepartment of Civil Engineering, University of Guanajuato, CP 36000, Guanajuato, Mexico; and ^tFaculty of Aeronautics and Astronautics, Istanbul Technical University, Maslak, 34469, Istanbul, Turkey

Edited by Susan Hanson, Clark University, Worcester, MA, and approved April 2, 2015 (received for review March 6, 2015)

Understanding the drivers of energy and material flows of cities is important for addressing global environmental challenges. Accessing, sharing, and managing energy and material resources is particularly critical for megacities, which face enormous social stresses because of their sheer size and complexity. Here we quantify the energy and material flows through the world's 27 megacities with populations greater than 10 million people as of 2010. Collectively the resource flows through megacities are largely consistent with scaling laws established in the emerging science of cities. Correlations are established for electricity consumption, heating and industrial fuel use, ground transportation energy use, water consumption, waste generation, and steel production in terms of heating-degree-days, urban form, economic activity, and population growth. The results help identify megacities exhibiting high and low levels of consumption and those making efficient use of resources. The correlation between per capita electricity use and urbanized area per capita is shown to be a consequence of gross building floor area per capita, which is found to increase for lower-density cities. Many of the megacities are growing rapidly in population but are growing even faster in terms of gross domestic product (GDP) and energy use. In the decade from 2001–2011, electricity use and ground transportation fuel use in megacities grew at approximately half the rate of GDP growth.

sustainability | sustainable development | urbanization | urban metabolism | industrial ecology

The remarkable growth of cities on our planet during the past century has provoked a range of scientific inquiries. From 1900–2011, the world's urban population grew from 220 million (13% of the world's population) to 3,530 million (52% of the world's population) (1, 2). This phenomenon of urbanization has prompted the development of a science of cities (3, 4), including interdisciplinary contributions on scaling laws (5, 6), networks (7), and the thermodynamics of cities (8, 9). The growth of cities also has been strongly linked to global challenges of environmental sustainability, making the study of urban energy and material flows, e.g., for determining greenhouse gas emissions from cities and urban resource efficiency (10–19), important.

At the pinnacle of the growth of cities is the formation of megacities, i.e., metropolitan regions with populations in excess of 10 million people. In 1970, there were only eight megacities on the planet (*SI Appendix, Fig. S1*). By 2010, the number had grown to 27, and a further 10 megacities likely will exist by 2020 (20). In 2010, 460 million people (6.7% of the global population) lived in the 27 megacities. The sheer size and complexity of megacities gives rise to

enormous social and environmental challenges. Megacities often are perceived to be areas of high global risk (i.e., threatened by economic, environmental, geopolitical, societal, and technological risks with potential impacts across entire countries) with extreme levels of poverty, vulnerability, and social-spatial fragmentation (21–24). To provide adequate water and wastewater services, many megacities require massive technical investment and appropriate institutional development (25, 26). Many inhabitants of megacities also suffer severe health impacts from air pollution (27). However, these factors present only one side; the megacities include some of the wealthiest cities in the world (albeit with large disparities between citizens). Even the poorer megacities are seen by some as potential centers of innovation, where high levels of resource efficiency might reduce global environmental burdens (21, 28, 29). Whether megacities can develop as sustainable cities depends to a large extent on how they obtain, share, and manage their energy and material resources.

Significance

Our quantification of energy and material flows for the world's 27 megacities is a major undertaking, not previously achieved. The sheer magnitude of these flows (e.g., 9% of global electricity, 10% of gasoline; 13% of solid waste) shows the importance of megacities in addressing global environmental challenges. In aggregate the resource flows through megacities are consistent with scaling laws for cities. Statistical relations are established for electricity use, heating/industrial fuels, ground transportation, water consumption, waste generation, and steel production in terms of heating-degree days, urban form, economic activity, and population growth. Analysis at the microscale shows that electricity use is strongly correlated with building floor area, explaining the macroscale correlation between per capita electricity use and urbanized area per capita.

Author contributions: C.A.K., A.F., I.C., R.M., B. Chen, A.K., A.C., K.-g.K., C.D., E.L.L.R., S. Pinceti, J.K., S.B., S. Pusaka, J.G., M.A., M.N., S.H., P.J.M., F.G.O., T.G., R.F., G.C., and A.D.S. designed research; C.A.K., I.S., I.C., B. Chen, M.U., A.K., A.C., K.-g.K., C.D., E.L.L.R., B. Cunha, S. Pinceti, J.K., S.B., S. Pusaka, J.G., M.A., M.N., S.H., P.J.M., F.G.O., T.G., N.I., R.F., G.C., and A.D.S. performed research; C.A.K., I.S., A.F., I.C., M.U., J.K., and F.G.O. analyzed data; and C.A.K. and I.S. wrote the paper.

The authors declare no conflict of interest.

This article is a PNAS Direct Submission.

¹To whom correspondence should be addressed. Email: christopher.kennedy@utoronto.ca.

This article contains supporting information online at www.pnas.org/lookup/suppl/doi:10.1073/pnas.1504315112/-DCSupplemental.




Fig. 1. Resource flows for megacities in 2011. (A) Energy use. (B) Water use including line losses. (C) Municipal solid waste production. Values shown are for the megacity populations scaled on a per capita basis from recorded data for the study area population (*Methods*).

The aims of our study are first to quantify the energy and material flows for the world's 27 megacities, based on 2010 population, and second to identify physical and economic characteristics that underlie these resource flows at multiple scales. This goal entailed developing a common data-collection process applied to all the megacities. The cities were identified based on Brinkhoff's database of metropolitan regions (www.citypopulation.de/world/Agglomerations.html; *SI Appendix*, Fig. S2). The megacities are essentially common commuter-sheds of more than 10 million people; most are contiguous urban regions, but a contiguous area is not a requirement; for example, the London megacity includes a ring of commuter towns outside the Greater London area. Megacities can spread across political borders. They include large tracts of suburban regions, which can have higher per capita resource flows than central areas (30, 31). We quantify energy flows for the dominant direct forms of consumption in megacities. A wide and complex range of materials flow through cities; here the focus is on water, concrete, steel, and waste. We show how values of aggregate resource use of all megacities generally are consistent with the scaling laws that have been developed for cities (5, 6). We then analyze factors correlated with energy and material flow at macro- and microscales; discuss megacities with low, high, and efficient use of resources; and examine changes over time.

Results

Total Resource Flows. Annual energy consumption in megacities, for 2011, ranges from ~78 PJ for Kolkata (population 16.3 million) to ~2,824 PJ for the New York Metropolitan Area (population 22.2 million) (Fig. 1A). Although Tokyo is the largest megacity, with 34.0 million people, its energy consumption is surpassed by New York because of New York's higher consumption of both transportation fuels (47 GJ per capita vs. 18 GJ per capita in Tokyo; *SI Appendix*, Fig. S3) and heating/industrial fuels (56 GJ per capita vs. 29 GJ per capita in Tokyo; *SI Appendix*, Fig. S4); per capita electricity use is approximately equal in the two megacities (*SI Appendix*, Fig. S5). Nine other megacities—Moscow, Seoul, Los Angeles, Shanghai, Guangzhou, Osaka, Tehran, Mexico City, and London—consume in excess of 1,000 PJ/y. To put these figures in perspective, an oil supertanker can hold about 12.2 PJ of oil (32); New York consumes the energy equivalent of one supertanker approximately every 1.5 days.

Total water consumption is notably higher in New York (10.9 million ML), Guangzhou (9.80 million ML), Shanghai (9.75 million ML), and Los Angeles (6.62 million ML) than in the other megacities (Fig. 1B). In New York about 54% of the water is used in thermoelectric plants. Water consumption in the remaining megacities ranges from a low of 0.48 million ML in Jakarta to a high of 4.19 million ML in Tokyo.

New York also exceeds other megacities in solid waste production, both in absolute and per capita terms (Fig. 1C and *SI Appendix*, Fig. S6). One of the challenges with solid waste data that we have observed in the past (13) is that the construction sector often produces large quantities of waste (not always counted in inventories), and commercial waste production can be difficult to estimate when handled by the private sector.

Aggregate Resource Use and Scaling Laws. Although there is great diversity in the energy and material flows through individual megacities, collectively their resource flows are, with the exception of gasoline, consistent with scaling laws observed for cities over a wide range of populations (6). This consistency can be seen by comparing the total resource flows of the megacities as a percentage of the world's total with the percentage of global population living in megacities (*Methods*). Clearly megacities are at the top of the population scale and should exhibit extreme values for quantities that scale superlinearly or sublinearly. The 27 megacities had a combined population of 460 million in 2010, equal to 6.7% of global population (Fig. 2). Their combined gross domestic product (GDP) was much larger in percentage terms, at 14.6% of global GDP. This result is expected for socioeconomic characteristics, which have been shown to scale superlinearly (6).

The total waste production for the megacities is estimated to be 12.6% of the global amount. This value suggests that waste production also may exhibit superlinear behavior, likely because of its relation with GDP. Essentially the higher amount of economic activity in larger cities entails importing relatively high quantities of goods and other materials that, apart from those that become bound in the building stock, leave cities relatively rapidly as wastes.

The total energy consumption of the 27 megacities is 26,347 PJ, which is ~6.7% of global energy consumption. This percentage is about the same as the percentage of global population that lives in megacities. Bettencourt and colleagues (5, 6) found a mixture of energy-related scaling relationships: Residential electricity scales linearly, total electricity scales superlinearly, and gasoline use scales sublinearly. We found megacities consumed 9.3% of global electricity and 9.9% of global gasoline; the former is consistent with superlinear scaling, but the latter is not consistent with sublinear scaling and requires further exploration (This sublinear scaling could reflect the use of other transportation fuels in cities, e.g., the high use of diesel in many European cities).

The observation that megacities consume 6.7% of total global energy use also should be treated cautiously for the following reasons. (i) The global energy use total includes energy consumed in global aviation and marine transportation of goods and people;




Fig. 2. Megacity resource and waste flows as a percentage of world values.

much of this transportation is between cities but is not reflected in their recorded energy use here. (ii) We have reported final energy consumption by cities, not primary energy use. Electrical energy use would be higher if expressed in terms of primary energy input. (iii) The extraction and refining of fossil fuels requires an energy premium that necessarily occurs to combust fuels in cities. (iv) The majority of megacities are in warm to hot climates where requirements for heating are relatively low [only Moscow, Beijing, Seoul, London, New York, Istanbul, and Paris-Isle-de-France recorded more than 2,000 heating-degree-days (HDD) in 2011]. Whether the distribution of climatic zones for megacities is representative of that for all global inhabitants has not been established.

The final quantity compared in Fig. 2 is water use. The 78 million ML consumed in megacities (including losses) is about 3.0% of global water use, which is estimated to be roughly 2,600 million ML (33). This percentage seems reasonably consistent with expectations, because a large amount of the global water supply is used in agriculture, which is a predominantly rural activity (34).

Macroscale Correlations. Some understanding of the factors that underlie the energy and material flows through megacities can be established by first analyzing per capita rates at the macroscale. There already is a large literature debating the relation between urban transportation energy use and urban form (35). Essentially, the literature shows that density (or, alternatively, urbanized area per capita) displays a significant relation with urban transportation energy if the dataset analyzed includes a wide spectrum of global cities with a wide range of densities. When studies include only cities within the same country or the same continent, for which differences in density are less wide ranging, or examine microscale features within cities, then density is found to be less significant than other variables such as supply of public transit, spikiness, and other characteristics of urban design (e.g., ref. 36). Previous research also has found that per capita use of heating and industrial fuels is significantly correlated with HDD (17). This known relationship, as well as that for transportation energy use, also is found to hold for the megacities, thereby corroborating the dataset (Table 1). For the megacities, however, we also find a significant correlation between heating and industrial fuel use per capita and urbanized area per person.

Little previous research has explored differences in electricity use between global cities. In our stepwise regression analysis we found per capita electricity use in megacities to be significantly correlated with urbanized area per capita (Table 1 and *SI Appendix, Fig. S5*). Electricity use is known to be a strong determinant of economic growth (37), and we also observe significant correlation between per capita GDP and electricity use in the megacities (*SI Appendix, Fig. S7*). Because there is relatively strong correlation between urbanized area per capita and GDP per capita (*SI Appendix, Correction for Multiple Inferences*), the latter drops out of the stepwise regression analysis, because it has less explanatory power than area per person. We suspect that lower-density megacities such as Los Angeles and New York have greater building floor space per capita, leading to higher electricity consumption for lighting and other building applications. We explore this possibility further in the microscale correlation analysis that follows.

The macroscale analysis also revealed a correlation between water consumption per capita and area per capita. Again, a weak correlation was found with GDP if area per capita was omitted from the model, but no relationships with precipitation or cooling-degree-days (CDDs) were found. A different study for Chinese and American cities found that urban water use per capita is inversely related to freshwater availability (38).

Based on observation of national solid waste data, we expected per capita waste generation by cities to be strongly correlated with GDP (39, 40); a statistically significant upward trend was observed (Table 1 and *SI Appendix, Fig. S6*), although the pattern of residuals suggests other factors may be at play. Policies can matter; it is interesting to contrast New York's waste production (1.49 tons per capita) with that of London (0.32 tons per capita), where the share of municipal solid waste landfilled in the United Kingdom

has fallen from 80% in 2001 to 49% in 2010, encouraged by a landfill tax (41). We also found the percentage growth rate in GDP over 10 y to be correlated significantly with per capita waste production. (Note, however, that this variable is insignificant when correcting for multiple statistical inference; see *Methods* and *SI Appendix, Correction for Multiple Inferences*).

Because concrete and steel largely become bound up in the building stock in cities, we expected that their rates of consumption would be higher for faster-growing cities. This expectation was found to be the case for steel consumption (*SI Appendix, Fig. S8*). We obtained data on steel consumption for only nine megacities and found that steel consumption was correlated significantly with the absolute population growth of megacities over 10 y (Table 1). Data on cement consumption in 2011 were obtained for 10 cities; five megacities—Mumbai, Kolkata, Delhi, Dhaka, and Sao Paulo—were the largest consumers at 7.7–9.2 million tons. No significant statistical correlations were found between cement and population growth, GDP, or area per person.

Microscale Correlations. Although urbanized land area per person correlates strongly with energy use in megacities at the macro-level, it is a less significant factor in microscale analysis, as we demonstrate by focusing on electricity use, for which building floor area is an important underlying factor at the microscale. We analyzed variables correlating with electricity use in subareas of London and Buenos Aires.

Analysis of London boroughs demonstrates the significance of gross floor area in explaining electricity use, with land area per capita and income having weaker influence. Gross floor area data for London's boroughs were available only for industrial and

Table 1. Final regression results for factors correlating with energy and material flows for megacities in 2011, correlations with gross building floor area, and changes in energy use, 2001–2011

Variable	t-stat (P value); coefficient
Energy and material flows for 2011	
Electricity consumption ($R^2 = 0.88$; $n = 27$; $t_{0.95} = 2.056$)	
Urbanized area per person	13.55 (2.71 E–13); 21614
Heating and industrial fuel use ($R^2 = 0.85$; $n = 27$; $t_{0.95} = 2.056$)	
HDD	5.87 (4.01 E–6); 0.02
Urbanized area per person	2.50 (0.02); 57722
Ground transportation fuels ($R^2 = 0.83$; $n = 27$; $t_{0.95} = 2.056$)	
Urbanized area per person	11.40 (1.30 E–11); 92858
Water consumption ($R^2 = 0.78$; $n = 27$; $t_{0.95} = 2.056$)	
Urbanized area per person	9.62 (4.75 E–10); 953201
Solid waste production ($R^2 = 0.87$; $n = 20$; $t_{0.95} = 2.093$)	
GDP	5.98 (1.19 E–5); 7.41 E–6
10-y GDP growth rate, %	5.17 (6.40 E–5); 0.0002
Steel consumption ($R^2 = 0.88$; $n = 9$; $t_{0.95} = 2.306$)	
10-y pop growth, no. of people	7.67 (5.93 E–5); 0.002
Regressions with gross building floor area	
Urbanized area per person ($R^2 = 0.84$; $n = 13$; $t_{0.95} = 2.179$)	
Total gross floor area	8.09 (3.36 E–6); 4.02 E–6
Urbanized area per person ($R^2 = 0.87$; $n = 16$; $t_{0.95} = 2.131$)	
Residential gross floor area	9.84 (6.2 E–8); 7.47 E–6
Electricity consumption ($R^2 = 0.93$; $n = 16$; $t_{0.95} = 2.131$)	
Residential gross floor area	14.05 (4.86 E–10); 0.19
Electricity consumption ($R^2 = 0.95$; $n = 16$; $t_{0.95} = 2.131$)	
Residential gross floor area	3.66 (0.003); 0.12
Urbanized area per person	2.46 (0.03); 9726
Changes in energy flows, 2001–2011	
Electricity, 10-y growth rate, % ($R^2 = 0.80$; $n = 16$; $t_{0.95} = 2.131$)	
GDP, 10-y growth rate, %	7.80 (1.17 E–6); 0.56
Ground transportation, 10-y growth, % ($R^2 = 0.67$; $n = 13$; $t_{0.95} = 2.179$)	
GDP, 10-y growth rate, %	4.89 (0.0004); 0.61

commercial buildings, and they show a strong correlation with industrial/commercial electricity use (Fig. 3A). Data on residential land area per person (i.e., excluding commercial and industrial land areas) were available for London, but they show a weak correlation with residential electricity use per capita (Fig. 3B). Median household income also shows a weak correlation with electricity use per capita (*SI Appendix*, Fig. S9). The correlation between income and land area per capita shown at the macrolevel across megacities (*SI Appendix*, Fig. S10 and *SI Appendix*, *Correction for Multiple Inferences*) does not hold for the boroughs of London (*SI Appendix*, Fig. S11), reflecting spatial variation in wealth and perhaps also classic spatial tradeoffs between living space and disutility of travel.

In Buenos Aires, gross floor area data were not available for the local municipalities; nonetheless, total electricity use (in residential, commercial, and industrial sectors combined) correlates strongly with total building footprint areas for 24 local municipalities in the megacity (Fig. 3C). The annual residential electricity use per person shows no relation to urbanized land area per person (Fig. 3D).

The overall importance of gross building floor area in explaining electricity use is seen further by linking it to the macroscale analysis. We were able to obtain or estimate values of residential gross floor area and total gross floor area for 16 and 13 of the megacities, respectively. Both measures show relatively strong correlations ($R^2 = 0.87$ and 0.84 ; Table 1) with urbanized land area per capita (*SI Appendix*, Figs. S12 and S13). So, although cities can grow upwards, more spread-out cities, with higher urbanized area per person have more building floor area per person. Further statistical analysis shows that residential gross floor area per person is highly correlated with per capita electricity consumption in the megacities ($R^2 = 0.93$; Table 1). However, there are some nonbuilding uses of electricity in cities, such as street lighting and public transit; hence using both residential gross floor area per person and urbanized land area per person gives a stronger model ($R^2 = 0.95$; Table 1).

Low Consumption, High Consumption, and Efficient Use of Resources.

In addition to the assembled data on energy and material flows, data on access to resources show that many of the megacities are consuming resources at rates below those that support a basic standard of living for all citizens. Substantial proportions of residents in some megacities, particularly in South Asia, have no access to basic services such as clean water, sewerage, electricity, and formal waste disposal (*SI Appendix*, Table S2). For example, *SI Appendix*, Fig. S14 shows that all the megacities with less than 100% access to grid electricity (except Shenzhen) are those with

annual electricity consumption below 2 MW per capita. The development challenge for such poorer megacities entails increasing rates of resource use above current low levels of consumption. The challenge is complex, because there also are high rates of resource wastage in some of these cities. For example, nonrevenue water use is high in many megacities, reaching more than 70% of total water consumption in Sao Paulo and Buenos Aires. Some of this loss may be the result of informal/illegal water withdrawals; other losses result from the poor state of infrastructure.

In contrast to the poorer megacities, some of the wealthier megacities may have to decrease their levels of energy and material consumption to reduce associated environmental impacts. This situation is not straightforward, however: Not only do the economies of cities have a bearing on their use of resources; HDD, urban form, and growth rates also affect resource use, as shown by our statistical analysis in Table 1. Nonetheless, the per capita data do suggest opportunities for resource reduction. The two United States megacities, for example, tend to be particularly high in many resource categories, especially electricity, water, and waste. Guangzhou also is a high-resource outlier with respect to water consumption and heating and industrial fuel use. Water efficiency is particularly low in Guangzhou, even compared with the rest of Guangdong province, including Shenzhen. The center of the city contains several industrial sites with outdated technology and high levels of water consumption; also, water prices are very low in Guangzhou (42).

There are also examples among the wealthier cities of practices that have produced relatively high levels of resource efficiency. For example, most of Moscow is serviced by a large district heating system, which uses waste heat from electricity generation to provide heating to most buildings in the city (see Moscow United Energy Co., www.oaomoe.ru/ru/); Seoul has a wastewater reuse system that saves on the input of water supplies; and Tokyo has managed to reduce its water leakage rate to only 3% (43). Among the wealthier cities overall, Paris is below the average trend on many of the measures of resource flows.

Growth over Time. Rapid growth makes accessing resources challenging in many megacities. Over the 10-y period ending in 2011, all the megacity populations in our study areas grew, and more than half of them grew by more than 10% (*SI Appendix*, Fig. S15). The fastest growth rates were in Istanbul, Dhaka, Beijing, Shenzhen, and Shanghai, all of which grew by more than 40%. Most of the slower-growing populations were in high-income




Fig. 3. Microscale analysis of electricity use in London and Buenos Aires. (A) Commercial electricity use in local London boroughs is correlated with gross commercial floor area (t -stat = 18.85; P value = 3.69×10^{-17} ; $R^2 = 0.90$). (B) Residential electricity use in London boroughs is weakly correlated with residential land area per person (t -stat = 3.34; P value = 0.0023; $R^2 = 0.28$). (C) Total electricity use in the local municipalities of Buenos Aires is correlated with building footprint area (t -stat = 27.9; P value = 3.14×10^{-19} ; $R^2 = 0.97$). Data are for 2011, excluding the central area, Ciudad de Buenos Aires. (D) Annual residential electricity use per person within the local municipalities of Buenos Aires has no relation to urbanized land area per capita.

adjustment factor based on Thomas Brinkhoff's 2010 megacity populations (*SI Appendix, Fig. S2*). Megacities whose study area populations fell below or above those of Brinkhoff's were adjusted by factors greater than or less than unity. The purpose of this global adjustment to the data was to normalize scale inconsistencies and uncertainties in survey reporting and to standardize all flows to the spatial scale of a "megacity." This adjustment is especially pertinent because 77% of the megacities have a formal level of government for the entire metropolitan area and its constituent cities. In some cases, e.g., Seoul and Mexico City, the study area population was smaller than that of the full megacity but still included nearly 10 million people. In other cases, e.g., Cairo and Lagos, the study area population was larger than that of the megacity. For 14 of the 27 cities, the study area population was within 20% of the megacity population defined by Brinkhoff (*SI Appendix, Fig. S2*). The total population of the study areas was 410 million people, compared with 460 million for all megacities.

Note that there is no single authoritative system for establishing megacity boundaries. We used the Brinkhoff database as the basis for identifying the 27 megacities and establishing the approximate urban populations for data collection, but the Brinkhoff populations are indicative numbers rather than authoritative numbers. The most important consideration for this study was that we obtained data for large metropolitan regions that contain substantial amounts of the suburbs and hence avoided central city bias.

Analysis of Consistency with Scaling Laws. The scaling laws for cities have been established by Bettencourt and colleagues (5, 6) by plotting large datasets on log-log axes. We considered the 27 megacities at the top end of the collection of all cities. Our simpler analysis entails calculating the total resource flows of all of these megacities as a percentage of the world's total for comparison

with the percentage of global population living in megacities. Quantities that scale superlinearly should be consumed at disproportionately high rates by the megacities, and quantities that scale sublinearly should be consumed at disproportionately low rates. Our method is intended to check for consistency with the scaling laws but is not a means of fitting parameters to the scaling laws.

The world totals used in the analysis are: populations, 6,892,319,000 (47); global water consumption (~2008), 2,600 km³/year (32); global waste disposal, 3.93 million tons/day (48); global energy consumption, 393 exa joules (www.iea.org/statistics); gasoline, 42,566,284 TJ (www.iea.org/statistics); electricity, 18,396,735 GWh (www.iea.org/statistics); global GDP (2011), \$77,200.00 US billion PPP (49).

Regression Analysis. The statistical analysis of drivers of energy and material flows (Table 1) was conducted using per capita values for the study areas (or total consumption in the study area in the case of steel and cement); i.e., the statistical analysis was conducted on the collected data without scaling. Two related methods of analysis were undertaken. First, multiple regression was undertaken using a stepwise process, starting with trial explanatory variables selected from literature review and knowledge of urban systems and engineering science. The initial models are given in *SI Appendix, Table S1*. Note that in some cases the values of coefficients change substantially between the initial and final models because statistically insignificant constants were eliminated.

ACKNOWLEDGMENTS. We thank Aleksander Sabic, Yi Lu, Siyuan Yang, Eunhye Kim, Ruchira Ghosh, Dulcemaria Guerrero Sánchez, Pavel Moisseev, Ahmed Kandil, O. Douglas Price, and Daniel Hoornweg for their help with data collection and other aspects of the project. Funding for this project was provided by the Enel Foundation.

- United Nations (2006) *World Urbanization Prospects: The 2005 Revision*, Department of Economic and Social Affairs (United Nations, New York).
- United Nations (2012) *World Urbanization Prospects: The 2011 Revision*, Department of Economic and Social Affairs (United Nations, New York).
- Batty M (2012) Building a science of cities. *Cities* 29:59–516.
- Batty M (2013) *The New Science of Cities* (MIT Press, Cambridge, MA).
- Bettencourt LMA, Lobo J, Helbing D, Kühnert C, West GB (2007) Growth, innovation, scaling, and the pace of life in cities. *Proc Natl Acad Sci USA* 104(17):7301–7306.
- Bettencourt LM (2013) The origins of scaling in cities. *Science* 340(6139):1438–1441.
- Derrile S, Kennedy CA (2010) The complexity and robustness of metro networks. *Physica A* 389(17):3678–3691.
- Bristow D, Kennedy CA (2015) Why do cities grow? Insights from Non-equilibrium thermodynamics at the urban and global scales. *J Ind Ecol*, 10.1111/jiec.12239.
- Liu GY, Yang ZF, Su MR, Chen B (2012) The structure, evolution and sustainability of urban socio-economic system. *Ecol Inform* 10(2):2–9.
- Baynes TM, Wiedmann T (2012) General approaches for assessing urban environmental sustainability. *Current Opinions in Environmental Sustainability* 4:1–7.
- Weisz H, Steinberger J (2010) Reducing energy and material flows in cities. *Current Opinions in Environmental Sustainability* 2:185–192.
- Grübler A, et al. (2012) Urban energy systems. *Global Energy Assessment-Toward a Sustainable Future* (Cambridge Univ Press, Cambridge, UK and International Institute for Applied Systems Analysis, Laxenburg, Austria), pp 1307–1400.
- Kennedy CA, Cuddihy J, Engel-Yan J (2007) The changing metabolism of cities. *J Ind Ecol* 11(2):43–59.
- Kennedy C, Pincetl S, Bunje P (2011) The study of urban metabolism and its applications to urban planning and design. *Environ Pollut* 159(8-9):1965–1973.
- Kim E, Barles S (2012) The energy consumption of Paris and its supply areas from the eighteenth century to the present. *Reg Environ Change* 12(2):295.
- Kennedy CA, et al. (2010) Methodology for inventorying greenhouse gas emissions from global cities. *Energy Policy* 37(9):4828–4837.
- Kennedy C, et al. (2009) Greenhouse gas emissions from global cities. *Environ Sci Technol* 43(19):7297–7302.
- Grimm NB, et al. (2008) Global change and the ecology of cities. *Science* 319(5864):756–760.
- Georgescu M, Morefield PE, Bierwagen BG, Weaver CP (2014) Urban adaptation can roll back warming of emerging megapolitan regions. *Proc Natl Acad Sci USA* 111(8):2909–2914.
- Kennedy CA, Ibrahim N, Stewart I, Facchini A, Mele R (2014) Developing a multi-layered indicator set for urban metabolism studies in megacities. *Ecol Indic* 47:7–15.
- World Economic Forum (2014) World Economic Forum Global Risks, Ninth Ed. (Geneva: World Economic Forum).
- Kraas F (2007) Megacities and global change: Key priorities. *Geogr J* 173(1):79–82.
- Sorensen A, Okata J, eds (2011) *Megacities: Urban Form, Governance, and Sustainability* (Springer, Tokyo).
- Freire M, Stren RE (2001) *The Challenge of Urban Government: Policies and Practices* (World Bank, Washington, DC).
- Varis O (2006) Megacities, development and water. *Int J Water Resour Dev* 22(2):199–225.
- Varis O, et al. (2006) Megacities and water management. *Int J Water Resour Dev* 22(2):377–394.
- Parrish DD, Zhu T (2009) Climate change. Clean air for megacities. *Science* 326(5953):674–675.
- Mulder E, Kraas F (2008) Megacities of tomorrow. *A World of Science* 6(4):2–10.
- Stratmann B (2011) Megacities: Globalization, metropolization, and sustainability. *J Dev Soc* 27(3-4):229–259.
- Barles S (2009) Urban metabolism of Paris and its region. *J Ind Ecol* 13(6):898–913.
- Jones C, Kammen DM (2014) Spatial distribution of U.S. household carbon footprints reveals suburbanization undermines greenhouse gas benefits of urban population density. *Environ Sci Technol* 48(2):895–902.
- United Nations Council on Trade and Development (UNCTAD) (2006) *Review of Maritime Transport* (United Nations, New York).
- Rockström J, et al. (2009) A safe operating space for humanity. *Nature* 461(7263):472–475.
- Grübler A (1998) *Technology and Global Change* (Cambridge Univ Press, Cambridge, UK).
- Rickwood P, et al. (2008) Urban structure and energy – a review. *Urban Policy Res* 26(1):57–81.
- Echenique MH, Hargreaves AJ, Mitchell G, Namdeo A (2012) Growing cities sustainably: Does urban form really matter? *J Am Plann Assoc* 78(2):121–137.
- Little B, Lung S (2014) Might electricity consumption cause urbanization instead? Evidence from heterogeneous panel long-run causality tests. *Glob Environ Change* 24:42–51.
- Jenerette GD, et al. (2006) Contrasting water footprints of cities in China and the United States. *Ecol Econ* 57:346–358.
- Hoornweg D, Bhada-Tata P, Kennedy CA (2015) Peak waste: When is it likely to occur? *J Ind Ecol* 19(1):117–128.
- Hoornweg D, Bhada-Tata P, Kennedy C (2013) Environment: Waste production must peak this century. *Nature* 502(7473):615–617.
- European Environment Agency (2013) *Managing Municipal Solid Waste - A Review of Achievements in 32 European Countries* (European Union Publications Office, Luxembourg).
- Nanfeng ribao “广州为何成为“大花洒”?” [Why Guangzhou became a big shower head?] August 6th 2008. Available at: www.southcn.com/nfdaily/gd/gz/content/2008-08/06/content_4521348.htm. Accessed April 10, 2015.
- Tokyo Metropolitan Government (2010) Bureau of Waterworks Leak Prevention Guidebook. Available at www.waterprofessionals.metro.tokyo.jp/pdf/leakage_prevention_guidebook_2010.pdf. Accessed April 10, 2015.
- Eurostat (2013) Eurostat Economy-wide Material Flow Accounts, Compilation Guide. Available at ec.europa.eu/eurostat/documents/1798247/6191533/2013-EW-MFA-Guide-10Sep2013.pdf/54087dfb-1fb0-40f2-b1e4-64ed22ae3f4c. Accessed April 10, 2015.
- Brunner PH, Rechberger H (2004) *Practical Handbook of Material Flow Analysis* (CRC, Boca Raton, FL).
- Hoornweg D, Freire M, eds (2013) *Building Sustainability in an Urbanizing World: A Partnership Report* (World Bank, Washington, D.C.).
- Population Reference Bureau (2010) World Population Datasheet. Available at www.prb.org/pdf10/10wpds_eng.pdf. Accessed March 1, 2014.
- Hoornweg D, Bhada-Tata P (2012) *What a Waste: A Global Review of Solid Waste Management*. Urban Development Series Knowledge Paper (World Bank, Washington, DC).
- Earth Policy Institute (2012) Gross World Product, 1950–2011. Available at www.earth-policy.org/data_center/C25. Accessed March 1, 2014.

Supplementary Material

Energy and Material Flows of Megacities

Chris Kennedy*¹

Iain Stewart¹

Angelo Facchini²

Igor Cersosimo²

Renata Mele²

Bin Chen³

Mariko Uda¹

Arun Kansal⁴

Anthony Chiu⁵

Kwi-gon Kim⁶

Carolina Dubeux⁷

Emilio Lebre La Rovere⁷

Bruno Cunha⁷

Stephanie Pincetl⁸

James Keirstead⁹

Sabine Barles¹⁰

Semerdanta Pusaka¹¹

Juniati Gunawan¹¹

Michael Adegbile¹²

Mehrdad Nazariha¹³

Shamsul Hoque¹⁴

Peter Marcotullio¹⁵

Florencia Gonzalezo¹⁶

Tarek Genena¹⁷

Nadine Ibrahim¹

Rizwan Farooqui¹⁸

Gemma Cervantes¹⁹

Ahmet Duran Sahin²⁰

* corresponding author

1: Department of Civil Engineering, University of Toronto, 35 St. George Street,
Toronto, Ontario. CANADA. M4J 3K1. Tel: +1 416 978 5978

2: Enel Foundation, 00198, Viale Regina Margherita n. 137, Rome, Italy

3: School of Environment, Beijing Normal University, China, 北京市海淀区新街口外
大街19号 邮政编码: 100875

4: Department of Energy and Environment, TERI University, 10 Institutional Area,
Vasant Kunj, New Delhi, DL 110070, India

5: Department of Industrial Engineering, De La Salle University, 2401 Taft Ave, Malate,
Manila, 1004 Metro Manila, Philippines

- 46 6: Department of Landscape and Ecological Planning, Seoul National University, 1
47 Gwanak-ro, Gwanak-gu, Seoul, South Korea
- 48 7: COPPE, Federal University of Rio de Janeiro, Av. Pedro Calmon, 550 - Cidade
49 Universitária, Rio de Janeiro - RJ, 21941-901, Brazil
- 50 8: UCLA Institute of the Environment and Sustainability, La Kretz Hall, Suite 300, Los
51 Angeles, CA 90095-1496. USA
- 52 9: Dept. of Civil and Environmental Engineering, Laing O'Rourke Centre for Systems
53 Engineering and Innovation, 407 Skempton Building, Imperial College, South
54 Kensington, London, SW7 2AZ. UK
- 55 10: Institut de géographie, Université Paris 1 Panthéon Sorbonne 191 rue saint-Jacques
56 75005 Paris, France
- 57 11: Department of Accounting, Trisakti University, Jl. Kyai Tapa No.1, Grogol, Jakarta
58 Barat, DKI Jakarta 11440, Indonesia
- 59 12: Department of Architecture, University of Lagos, Dan Fodio Blvd, Lagos 23401,
60 Nigeria
- 61 13: Department of Environmental Engineering, College of Engineering, University of
62 Tehran, Enghelab Ave. Tehran, Iran. P.O.Box: 11365-4563
- 63 14: Department of Civil Engineering, Bangladesh University of Engineering &
64 Technology, Dhaka-1000, Bangladesh
- 65 15: Department of Geography, 1003E Hunter North, Hunter College, 695 Park Ave., New
66 York, NY 10065. USA
- 67 16: Gerenta Operativa de Cambio Climático y Energía, Dirección General de Estrategias
68 Ambientales, Agencia de Protección Ambiental, Gobierno de la Ciudad de Buenos Aires,
69 Argentina
- 70 17: EcoConServ Environmental Solutions, 12 El-Saleh Ayoub St., Zamalek, Cairo,
71 Egypt 11211
- 72 18: Department of Civil Engineering, Faculty of Civil Engineering and Architecture,
73 NED University of Engineering & Technology, Karachi 75270, Pakistan
- 74 19: Department of Civil Engineering, Universidad de Guanajuato, Av. Juárez 77. Col.
75 Centro. CP 36000. Guanajuato, México
- 76 20: İstanbul Technical University, Uçak ve Uzay Bilimleri Fakültesi,
77 Maslak, 34469, İstanbul, Turkey
- 78
- 79

80

1. Extended Analysis

Figure S1. The number of megacities at the start of each decade since 1960, with authors’ projection to 2020. (Figure 1 from ref. 1; data source: www.citypopulation.de/world/Agglomerations.html)




Figure S2. Surveyed megacity population compared with Brinkhoff 2010 values (2).




Figure S3. Ground transportation energy use in relation to urbanized area per capita.




Figure S4. Heating and industrial fuel consumption in relation to heating-degree-days.




Figure S5. Electricity use (including line losses) in relation to urban area per person.




Figure S6. Waste disposal in relation to megacity GDP.




Figure S7. Electricity use in relation to PPP adjusted megacity GDP.




Figure S8. Steel consumption in relation to 10-year population growth.




Figure S9. Residential electricity use in the local boroughs of London is weakly correlated with median household income ($t= 3.28$; $P = 0.00267$; $R^2=0.27$).




Figure S10. City GDP in relation to urban area per person.




Figure S11. Residential land area per capita has no correlation with median household income for London boroughs.




Figure S12. Residential gross floor area per capita correlates with urbanized area per capita.




Figure S13. Total building gross floor area per capita correlates with urbanized area per capita.




Figure S14. Access to the electricity grid in megacities and per capita electricity consumption (percentage of population without grid access in Lagos is unknown).




Figure S15. Population growth rates for megacity study areas, 2001 to 2011.




Figure S16. Growth rates for water consumption from 2001 to 2011.




Figure S17. Growth rates for waste disposal from 2001 to 2011




Table S1. Initial trial regression models.

Variable	t Stat	Coefficient	95 % CI
Electricity consumption ($R^2 = 0.63$; R^2 adjusted = 0.58; n = 27)			
Constant	1.76	0.91	-0.16 to 2.0
Heating-degree-days	0.85	0.0002	-0.0004 to 0.0009
Area per person	3.11	14337.96	4794.93 to 23880.99
GDP	0.34	9.1×10^{-6}	4.70×10^{-5} to 6.52×10^{-5}
Heating and industrial fuels ($R^2 = 0.66$; R^2 adjusted = 0.61; n = 27)			
Constant	1.14	5.97	-4.78 to 16.71
Heating-degree-days	5.00	0.01	0.009 to 0.02
Area per person	1.05	48586	-46732 to 143903
GDP	-0.40	-0.0001	-0.0007 to 0.0005
Ground transportation fuels ($R^2 = 0.63$; R^2 adjusted = 0.58; n = 27)			
Constant	0.39	1.04	-4.51 to 6.58
Heating degree days	1.45	0.002	-0.001 to 0.005
Area per person	2.44	57930	8730 to 107130
GDP	0.69	9.69×10^{-5}	-0.0002 to 0.0004
Water consumption ($R^2 = 0.58$; R^2 adjusted = 0.50; n = 27)			
Constant	-0.83	-56.58	-197.72 to 84.56
GDP	-0.81	-0.002	-0.005 to 0.002
Precipitation	0.68	0.02	-0.04 to 0.08
CDD	0.57	0.04	-0.09 to 0.17
Area per person	4.23	1291425.83	658844.63 to 1924007
Solid waste production ($R^2 = 0.60$; R^2 adjusted = 0.53; n = 20)			
Constant	2.89	0.20	0.05 to 0.35
GDP	2.78	4.27×10^{-6}	1.01×10^{-6} to 7.53×10^{-6}
10-yr GDP growth rate (%)	3.91	0.001	0.0005 to 0.0017
10-yr pop growth rate (%)	-2.45	-0.006	-0.0113 to -0.0008
Steel consumption ($R^2 = 0.80$; R^2 adjusted = 0.60; n = 9)			
Constant	1.51	2169.21	-1824 to 6162
10-yr pop growth rate (%)	0.50	113	-508.46 to 734.47
10-yr pop growth (# people)	0.15	0.0003	-0.005 to 0.005
GDP	-1.53	-0.09	-0.26 to 0.08
Area per person	0.76	8841090.86	-2.33×10^{-7} to 4.10×10^{-7}
Cement consumption ($R^2 = 0.57$; R^2 adjusted = 0.23; n = 10)			
Constant	2.78	7748.31	596.42 to 14900.2
10-yr pop growth rate (%)	-1.19	-282.39	-894.94 to 330.17
10-yr pop growth (# people)	1.08	0.003	-0.004 to 0.009
GDP	0.50	0.09	-0.39 to 0.58
Area per person	-1.02	-41288482.93	-1.45×10^8 to 6.27×10^7

Table S2. Access to services in megacities (all values are percentages).

<i>Megacity</i>	<i>Households without direct access to water</i>	<i>Households without direct access to drinkable water</i>	<i>Water line losses as a share of total water consumption</i>	<i>Households without sewerage</i>	<i>Wastewater subject to treatment</i>	<i>Households without public waste collection</i>	<i>Households without grid electricity connection</i>
Mumbai	21	21	3.7	64	94	48	18
Delhi	20	22	40	64	56	n.d.	0.9
Dhaka	7	31	33.1	65	65	10	67
Kolkata	n.d.	39	22	37	24	n.d.	5
Karachi	40	60	40	43	22	40	35
Jakarta	8	24	n.d.	12	n.d.	n.d.	0.3
Cairo	8	19	6.1	23	6	n.d.	n.d.
Tehran	0	0	33.3	55	n.d.	0	0.1
Rio de Janeiro	1	11	54.2	26	32	9	0
São Paulo	2	2	71.4	8	43	5	0
Buenos Aires	11	11	76.1	14	42	5	0
Mexico City	4	n.d.	n.d.	0.5	15	n.d.	5
Guangzhou	0.3	2	n.d.	15	4	1	15
Shenzhen	5	6	n.d.	30	20	1	15
Shanghai	0	0.6	15	10	14	1	0
Beijing	0	0.3	15.3	5	5	0	0
Lagos	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.

* n.d. = no data

2. Correction for Multiple Inferences

As we established six regression models from a single data set we conducted a second analysis correcting for possible simultaneous statistical inferences. A correlation matrix was calculated for interactions between all variables, and the associated p-values were calculated. The p-values were then corrected for multiple inference using the Benjamini & Hochberg approach. Results using the final set of variables (as in Table 1) are shown in the supplementary materials. With the Benjaminin & Hochberg correction, all variables in the six regression models are found to be valid, except for the GDP growth variable in the solid waste production model. The correlation matrix also shows significant variables that are dropped in the step-wise regression. In particular, GDP and area per person are significant in most of the models, when the correction is applied. As these two variables are highly correlated ($p=0.8$), one of them usually gets eliminated in the step-wise regression. Overall, the regression models shown in Table 1 stand up well to examination for simultaneous inference when using the Benjaminin & Hochberg correction.

Correlations										
	Electricity Cons.	Heating & Indust. Fuel	Transp. fuel	Water Cons.	Solid Waste	Steel Cons.	Heating Degree Days	Area per pers.	GDP	10-yr GDP growth rate
Electricity consumption (MWh)	-									
Heating & industrial fuel (GJ)	0.40	-								
Transportation fuel (GJ)	0.61	0.70	-							
Water consumption (kL)	0.51	0.51	0.69	-						
Solid waste prod (t)	0.44	0.23	0.57	0.45	-					
Steel consumption (Kt)	-0.28	0.03	-0.07	0.47	-0.55	-				
Heating degree days	0.45	0.59	0.50	0.17	0.27	-0.60	-			
Area (km2) per person	0.78	0.60	0.79	0.72	0.68	-0.12	0.42	-		
GDP (\$)	0.68	0.41	0.68	0.46	0.55	-0.57	0.58	0.80	-	
10-yr GDP growth rate	0.09	-0.13	-0.18	0.12	0.37	0.43	0.15	-0.02	-0.21	-
10-yr pop growth (# people)	-0.08	0.07	-0.15	0.05	-0.31	0.79	0.06	-0.27	-0.43	0.52

p-values (No correction)										
	Electricity Cons.	Heating & Indust. Fuel	Transp. fuel	Water Cons.	Solid Waste	Steel Cons.	Heating Degree Days	Area per pers.	GDP	10-yr GDP growth rate
Electricity consumption (MWh)	-									
Heating & industrial fuel (GJ)	0.042	-								
Transportation fuel (GJ)	0.001	0.000	-							
Water consumption (kL)	0.006	0.008	0.000	-						
Solid waste prod (t)	0.025	0.260	0.002	0.020	-					
Steel consumption (Kt)	0.472	0.941	0.854	0.205	0.125	-				
Heating degree days	0.018	0.002	0.008	0.401	0.180	0.087	-			
Area (km2) per person	0.000	0.001	0.000	0.000	0.000	0.755	0.028	-		
GDP (\$)	0.000	0.037	0.000	0.015	0.004	0.106	0.001	0.000	-	
10-yr GDP growth rate	0.711	0.572	0.427	0.616	0.097	0.247	0.518	0.928	0.364	-
10-yr pop growth (# people)	0.706	0.767	0.500	0.836	0.148	0.011	0.800	0.207	0.041	0.015

p-values (Benjamini & Hochberg Correction)										
	Electricity Cons.	Heating & Indust. Fuel	Transp. fuel	Water Cons.	Solid Waste	Steel Cons.	Heating Degree Days	Area per pers.	GDP	10-yr GDP growth rate
Electricity consumption (MWh)	-									
Heating & industrial fuel (GJ)	0.083	-								
Transportation fuel (GJ)	0.004	0.001	-							
Water consumption (kL)	0.021	0.024	0.001	-						
Solid waste prod (t)	0.058	0.376	0.010	0.048	-					
Steel consumption (Kt)	0.619	0.941	0.886	0.316	0.214	-				
Heating degree days	0.046	0.006	0.024	0.552	0.291	0.165	-			
Area (km2) per person	0.000	0.006	0.000	0.000	0.001	0.844	0.062	-		
GDP (\$)	0.001	0.078	0.001	0.040	0.013	0.189	0.006	0.000	-	
10-yr GDP growth rate	0.814	0.700	0.573	0.737	0.179	0.368	0.647	0.941	0.513	-
10-yr pop growth (# people)	0.814	0.844	0.640	0.885	0.247	0.031	0.862	0.316	0.083	0.040

212
213
214
215

3. Definition and Notes on Megacities

* Brinkoff's populations for 2010 are given in parentheses.

**GDP values are in PPP adjusted US dollars for 2011

London

- Study area population: 8,173,941 (Megacity: 12,400,000)
- Per capita GDP: 47,333
- Constituent cities: Camden, Greenwich, Hackney, Hammersmith and Fulham, Islington, Royal Borough of Kensington and Chelsea, Lambeth, Lewisham, Southwark, Tower Hamlets, Wandsworth, Westminster, Barking and Dagenham, Barnet, Bexley, Brent, Bromley, Croydon, Ealing, Enfield, Haringey, Harrow, Havering, Hillingdon, Hounslow, Kingston upon Thames, Merton, Newham, Redbridge, Richmond upon Thames, Sutton, Waltham Forest, City of London

Paris

- Study area population: 11,852,851 (Megacity: 10,400,000)
- Per capita GDP: 56,943
- Constituent cities: Paris, Seine-et-Marne, Yvelines, Essonne, Hauts-de-Seine, Seine-Saint-Denis, Val-de-Marne, Val-d'Oise
- Mobile energy consumption values for 2006 were substituted for 2011.

Moscow

- Study area population: 11,503,501 (Megacity: 13,600,000)
- Per capita GDP: 57,758
- Constituent cities: Central Borough, Northern Borough, North-Eastern Borough, Eastern Borough, South-Eastern Borough, Southern Borough, South-Western Borough, Western Borough, North-Western Borough, Zelenograd Borough
- Solid waste generation for 2011 is estimated to be 400 kg per person per year, 13 percent of which is incinerated and the remainder sent to landfill (*Future Watch Report*, 2013).
- Heating and industrial fuel consumption data were scaled by population from national to megacity level (values represent heating component of combined heat and power system)

New York City

- Study area population: 22,214,518 (Megacity: 22,200,000)
- Per capita GDP: 60,751
- Constituent cities: New York City (Bronx, Brooklyn, Manhattan, Queens and Staten Island); West Connecticut (Fairfield, Litchfield and New Haven counties); North New Jersey (Bergen, Essex, Hudson, Hunterdon, Mercer, Middlesex,

- Monmouth, Morris, Ocean, Passaic, Somerset, Sussex, Union and Warren counties), Long Island (Nassau and Suffolk counties); Mid-Hudson region (Dutchess, Orange, Putnam, Rockland, Sullivan, Ulster and Westchester counties)
- Energy consumption data were scaled by population (from 20,314,077 people to 22,214,518 people)
- New Jersey energy consumption data for 2006 were used in the total energy consumption calculation for New York Metropolitan region for 2011

Los Angeles

- Study area population: 9,889,000 (Megacity: 17,900,000)
- Per capita GDP: 74,045
- Constituent cities: Los Angeles, Pasadena, Santa Monica, Monrovia, Pomona, Long Beach, South Pasadena, Compton, Redondo Beach, Whittier, Azusa, Covina, Alhambra, Arcadia, Vernon, Glendale, Huntington Park, La Verne, Hermosa Beach, Sierra Madre, Claremont, Inglewood, Burbank, San Fernando, Glendora, El Monte, Manhattan Beach, San Gabriel, San Marino, Avalon, Beverly Hills, Monterey Park, El Segundo, Culver City, Montebello, Torrance, Lynwood, Hawthorne, South Gate, West Covina, Signal Hill, Maywood, Bell, Gardena, Palos Verdes Estates, Lakewood, Baldwin Park, Cerritos, La Puente, Downey, Rolling Hills, Paramount, Santa Fe Springs, Industry, Bradbury, Irwindale, Duarte, Norwalk, Bellflower, Rolling Hills Estates, Pico Rivera, South El Monte, Walnut, Artesia, Rosemead, Lawndale, Commerce, La Mirada, Temple City, San Dimas, Cudahy, Bell Gardens, Hidden Hills, Palmdale, Hawaiian Gardens, Lomita, Carson, Rancho Palos Verdes, La Cañada-Flintridge, Lancaster, La Habra Heights, Westlake Village, Agoura Hills, West Hollywood, Santa Clarita, Diamond Bar, Malibu, Calabasas
- Stationary energy consumption data (excluding electricity) were scaled by population from state (California) to megacity level
- Mobile energy consumption data for diesel and jet fuel were scaled by population from state (California) to megacity level

Mexico City

- Study area population: 8,851,080 (Megacity: 23,400,000)
- Per capita GDP: 34,973
- Constituent cities: Azcapotzalco, Coyoacán, Cuajimalpa de Morelos, Gustavo A. Madero, Iztacalco, Iztapalapa, La Magdalena Contreras, Milpa Alta, Álvaro Obregón, Tláhuac, Tlalpan, Xochimilco, Benito Juárez, Cuauhtémoc, Miguel Hidalgo, Venustiano Carranza, Tizayuca, Acolman, Amecameca, Apaxco, Atenco, Atizapán de Zaragoza, Atlautla, Axapusco, Ayapango, Coacalco de Berriozábal, Cocotitlán, Coyotepec, Cuautitlán, Chalco, Chiautla, Chicoloapan, Chiconcuac, Chimalhuacán, Ecatepec de Morelos, Ecatepec, Huehuetoca, Hueyponxtla, Huixquilucan, Isidro Fabela, Ixtapaluca, Jaltenco, Jilotzingo, Juchitepec, Melchor Ocampo, Naucalpan de Juárez, Nezahualcóyotl, Nextlalpan, Nicolás Romero, Nopaltepec, Otumba, Ozumba, Papalotla, La Paz, San Martín de

308 las Pirámides, Tecámac, Temamatla, Temascalapa, Teotihuacán, Tepetlaoxtoc,
 309 Tepetlixpa, Tepotzotlán, Tequixquiac, Texcoco, Tezoyuca, Tlalmanalco,
 310 Tlalnepantla de Baz, Tultepec, Tultitlán, Villa del Carbón, Zumpango, Cuautitlán
 311 Izcalli, Valle de Chalco, Solidaridad, Tonanitla
 312 - Stationary energy consumption data (excluding electricity) were scaled by
 313 population from national to megacity level
 314 - Jet fuel data were scaled by population from national to megacity level
 315

316 **Lagos**

317
 318 - Study area population: 20,546,999 (Megacity: 11,800,000)
 319 - Per capita GDP: 6,834
 320 - Constituent cities: Agege, Ajeromi-ifelodun, Alimosho, Amuwo Odofin, Apapa
 321 Badagry, Epe, Eti-osa
 322 - Stationary energy (excluding electricity) and mobile energy consumption data
 323 were scaled by population from national to megacity level
 324

325 **Sao Paulo**

326
 327 - Study area population: 19,822,559 (Megacity: 20,900,000)
 328 - Per capita GDP: 20,916
 329 - Constituent cities: Arujá, Barueri, Biritiba Mirim, Caieiras, Cajamar,
 330 Carapicuíba, Cotia, Diadema, Embu das Artes, Embu-Guaçu, Ferraz de
 331 Vasconcelos, Francisco Morato, Franco da Rocha, Guararema, Guarulhos,
 332 Itapevi, Itapeverica da Serra, Itaquaquecetuba, Jandira, Juquitiba, Mairiporã,
 333 Mauá, Mogi das Cruzes, Osasco, Pirapora do Bom Jesus, Poá, Ribeirão Pires, Rio
 334 Grande da Serra, Salesópolis, Santa Isabel, Santana de Parnaíba, Santo André,
 335 São Bernardo do Campo, São Caetano do Sul, São Lourenço da Serra, São Paulo,
 336 Suzano, Taboão da Serra, Vargem Grande Paulista

337 **Rio de Janeiro**

338
 339
 340 - Study area population: 11,909,897 (Megacity: 12,600,000)
 341 - Per capita GDP: 13,653
 342 - Constituent cities: Belford Roxo, Duque de Caxias, Guapimirim, Itaboraí,
 343 Itaguaí, Japeri, Magé, Maricá, Mesquita, Nilópolis, Niterói, Nova Iguaçu,
 344 Paracambi, Queimados, Rio de Janeiro, São Gonçalo, São João de Meriti,
 345 Seropédica e Tanguá
 346

347 **Buenos Aires**

348
 349 - Study area population: 12,806,866 (Megacity: 13,300,000)
 350 - Per capita GDP: 8,503
 351 - Constituent cities: Almirante Brown, Avellaneda, Berazategui, Esteban
 352 Echeverría, Ezeiza, Florencio Varela, General San Martín, Hurlingham, Ituzaingó,
 353 José C. Paz, La Matanza, Lanús, Lomas de Zamora, Malvinas Argentinas, Merlo,

354 Moreno, Morón, Quilmes, San Fernando, San Isidro, San Miguel, Tigre, Tres de
355 Febrero, Vicente López

356
357 **Cairo**

- 358
359 - Study area population: 20,495,461 (Megacity: 15,200,000)
360 - Per capita GDP: 6,440
361 - Constituent cities: Cairo Governorate, the urban parts of Giza Governorate, and
362 Qaliubia Governorate
363 - Wastewater volumes for 2006 and 2011 include sewerage and industrial waste.
364 - Electricity consumption data were scaled by number of customers from national
365 to megacity level
366

367 **Tehran**

- 368
369 - Study area population: 12,183,391 (Megacity: 12,800,000)
370 - Per capita GDP: 11,860
371 - Constituent cities: Boomehen, Pardis, Firuzkooh, Varamin, Shahriar, Islamshahr,
372 Robatkarim, Damavand, Pakdasht, Karaj, Nesa, and Savejbolagh
373 - Water consumption values are based on an estimated consumption rate of 250
374 litres per day
375 - Electricity line losses are estimated to be 15 % of electricity consumption values
376 - Water line losses are estimated to be 25 % of water consumption values
377

378 **Istanbul**

- 379
380 - Study area population: 13,483,052 (Megacity: 12,800,000)
381 - Per capita GDP: 10,444
382 - Constituent cities: Adalar, Arnavutköy, Ataşehir, Avcılar, Bakırköy, Beylikdüzü,
383 Beykoz, Beşiktaş, Beyoğlu, B.Evler, B.Paşa, Başakşehir, Bağcılar, B.Çekmece,
384 Çatalca, Çekmeköy, Esenyurt, Eyüp, Esenler, Fatih, G.O.Paşa, Güngören,
385 Kadıköy, Kartal, K.Çekmece, Kağıthane, Maltepe, Pendik, Sancaktepe, Sarıyer,
386 Sultangazi, Sultanbeyli, Şişli, Şile, Silivri, Tuzla, Ümraniye, Üsküdar,
387 Zeytinburnu
388

389 **Manila**

- 390
391 - Study area population: 11,855,975 (Megacity: 19,600,000)
392 - Per capita GDP: 11,788
393 - Constituent cities: Caloocan, Malabon, Navotas, Valenzuela, Quezon City,
394 Marikina, Pasig, Taguig, Makati, Manila, Mandaluyong, San Juan, Pasay,
395 Parañaque, Las Piñas, Muntinlupa
396 - Mobile energy consumption data were scaled by population from national to
397 megacity level
398

399 **Jakarta**

- Study area population: 9,786,372 (Megacity: 15,400,000)
- Per capita GDP: 10,040
- Constituent cities: Central Jakarta (Jakarta Pusat), North Jakarta (Jakarta Utara), East Jakarta (Jakarta Timur), South Jakarta (Jakarta Selatan), West Jakarta (Jakarta Barat), Thousand Islands (Kepulauan Seribu)
- When converting solid waste units from volume to mass, one cubic metre of waste is assumed to be equivalent to 600 kg
- Fuel oil consumption values for 2006 were substituted for 2011
- Mobile energy consumption values (excluding gasoline and diesel) for 2006 were substituted for 2011

Delhi

- Study area population: 16,753,235 (Megacity: 23,200,000)
- Per capita GDP: 8,443
- Constituent cities: Municipal Corporation of Delhi, New Delhi Municipal Corporation, Delhi Cantonment Board
- It is estimated that line losses for water are 40 % of water consumption values

Mumbai

- Study area population: 12,478,447 (Megacity: 22,800,000)
- Per capita GDP: 8,971
- Constituent cities: Greater Mumbai, Navi Mumbai, Thane, Kalyan-Dombivali, Vasai-Virar, Mira-Bhayandar, Bhiwandi-Nizampur, Ulhasnagar
- Electricity line losses are estimated to be 15 % of electricity consumption values
- Water line losses are estimated to be 20 % of water consumption values (Reddy, 2013)

Kolkata

- Study area population: 14,112,536 (Megacity: 16,300,000)
- Per capita GDP: 5,765
- Constituent cities: Kolkata Municipal Corporation, Howrah Municipal Corporation, Chandan nagar Municipal Corporation
- GDP values for 2011 were scaled by the national cumulative GDP growth rate (2000 to 2009)
- Water consumption values include private water tapping (which has no proper accounting) and are therefore said to be unreliable

Karachi

- Study area population: 15,500,000 (Megacity: 16,200,000)
- Per capita GDP: 5,161

- Constituent cities: Bin Qaism, Gadap, Malir, Gulberg, Liaquatabad, North Karachi, North Nazimabad, Jamsheed, Lyari, Saddar, Baldia, Kemari, Orangi, Site, Gulshan, Korangi, Landhi, Shah Faisal
- Stationary energy (excluding electricity) and mobile energy consumption data were scaled by population from national to megacity level

Dhaka

- Study area population: 15,616,562 (Megacity: 13,600,000)
- Per capita GDP: 6,139
- Constituent cities: Dhaka City Corporation (North), Dhaka City Corporation (South), Narayanganj, Savar, Gazipur, Tongi
- Stationary energy consumption data (excluding electricity) were scaled by GDP from national to megacity level
- Mobile energy consumption data were scaled by population from national to megacity level
- Building materials data were scaled by population from national to megacity level

Seoul

- Study area population: 10,528,774 (Megacity: 24,200,000)
- Per capita GDP: 32,261
- Constituent cities: Dobong, Dongdaemun, Dongjak, Eunpyeong, Gangbuk, Gangdong, Gangnam, Gangseo, Geumcheon, Guro, Gwanak, Gwangjin, Jongno, Jung, Jungnang, Mapo, Nowon, Seocho, Seodaemun, Seongbuk, Seongdong, Songpa, Yangcheon, Yeongdeungpo, Yongsan

Tokyo

- Study area population: 35,622,000 (Megacity: 34,000,000)
- Per capita GDP: 33,521
- Constituent cities: Tokyo, Kanagawa, Chiba and Saitama prefectures
- Water consumption data were scaled by population from metropolitan to megacity level
- Solid waste data were scaled by population from metropolitan to megacity level

Osaka

- Study area population: 17,089,000 (Megacity: 16,800,000)
- Per capita GDP: 30,124
- Constituent cities: Osaka, Kyoto, and Hyogo prefectures
- Water consumption data were scaled by population from metropolitan to megacity level
- Solid waste data were scaled by population from metropolitan to megacity level
- Solid waste disposal on land includes residue from incineration.

Shenzhen

- Study area population: 10,467,400 (Megacity: 10,400,000)
- Per capita GDP: 26,171
- Constituent cities: Futian, Luohu, Nanshan, Yantian, Baoan, and Longgang districts
- Heating and industrial fuels, and ground transportation fuels use scaled from provincial values. Mobile energy data for jet fuel include marine fuel

Guangzhou

- Study area population: 12,751,400 (Megacity: 16,500,000)
- Per capita GDP: 23,197
- Constituent cities: Yuexiu Area, Haizhu Area, Liwan Area, Tianhe Area, Baiyun Area, Huangpu Area, Huadu Area, Panyu Area, Luogang Area, Nansha Area, Conghua City, Zengcheng City
- All diesel oil is assumed to be used for transportation, although it is possible that some diesel is used for stationary energy

Shanghai

- Study area population: 23,474,600 (Megacity 18,400,000)
- Per capita GDP: 19,470
- Constituent cities: Pudong New District, Xuhui District, Changning District, Putuo District, Zhabei District, Hongkou District, Yangpu District, Huangpu District, Luwan District, Jingan District, Baoshan District, Minhang District, Jiading District, Jinshan District, Songjiang District, Qingpu District, Nanhui District, Fengxian District, Chongming County
- All diesel oil is assumed to be used for transportation, although it is possible that some diesel is used for stationary energy
- Mobile energy data for gasoline and diesel include jet and marine fuel

Beijing

- Study area population: 20,186,000 (Megacity: 13,600,000)
- Per capita GDP: 19,169
- Constituent cities: Dongcheng District, Xicheng District, Chaoyang District, Haidian District, Fengtai District, Shijingshan District, Mentougou District, Fangshan District, Daxing District, Tongzhou District, Shunyi District, Changping District, Pinggu District, Huairou District, Miyun County, Yanqing County
- All diesel oil is assumed to be used for transportation, although it is possible that some diesel is used for stationary energy
- Mobile energy data for gasoline and diesel include jet fuel

4. References

1. Kennedy CA, Ibrahim N, Stewart I, Facchini A, Mele R (2014) Developing a multi-layered indicator set for urban metabolism studies in megacities, Ecological Indicators, 47, 7-15.
2. City Population, <http://www.citypopulation.de/world/Agglomerations.html>, accessed April 1, 2013