Applied and Industrial Mathematics Undergraduate thesis topics


C. Sean Bohun (possible topics: 1 of 2)

 $-\frac{2}{\partial x \partial y} \frac{\partial x \partial y}{\partial x \partial y} + \frac{\partial y^2}{\partial y^2} \frac{\partial x^2}{\partial x^2} + \frac{\partial x^2}{\partial x^2} \frac{\partial y^2}{\partial y^2}$

 $+\frac{1}{Eh}\left(\frac{\partial^2 S_{xx}^{e0}}{\partial y^2}-2\frac{\partial^2 S_{xy}^{e0}}{\partial x \partial y}+\frac{\partial^2 S_{yy}^{e0}}{\partial x^2}\right)$

 $\frac{3}{2} \nabla^4 w = P_{\text{ext}} + \left(\frac{\partial^2 w_0}{\partial x^2} \frac{\partial^2 \varphi}{\partial y^2} - 2 \frac{\partial^2 w_0}{\partial x \partial y} \frac{\partial^2 \varphi}{\partial x \partial y} + \frac{\partial^2 w_0}{\partial y^2} \frac{\partial^2 \varphi}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial y^2} - 2 \frac{\partial^2 w_0}{\partial x^2} \frac{\partial^2 \varphi}{\partial y^2} + \frac{\partial^2 w_0}{\partial y^2} \frac{\partial^2 \varphi}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial y^2} - 2 \frac{\partial^2 w_0}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} + \frac{\partial^2 w_0}{\partial y^2} \frac{\partial^2 \varphi}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial y^2} - 2 \frac{\partial^2 w_0}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} + \frac{\partial^2 w_0}{\partial y^2} \frac{\partial^2 \varphi}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial y^2} - 2 \frac{\partial^2 w_0}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} + \frac{\partial^2 w_0}{\partial y^2} \frac{\partial^2 \varphi}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial y^2} - 2 \frac{\partial^2 w_0}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} + \frac{\partial^2 w_0}{\partial y^2} \frac{\partial^2 \varphi}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial y^2} - 2 \frac{\partial^2 w_0}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} + \frac{\partial^2 w_0}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial y^2} - 2 \frac{\partial^2 w_0}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} + \frac{\partial^2 w_0}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial y^2} - 2 \frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} - 2 \frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} - 2 \frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} - 2 \frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} - 2 \frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} - 2 \frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} \frac{\partial \varphi}{\partial x^2} - 2 \frac{\partial^2 w}{\partial x^2} \frac{\partial \varphi}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} \frac{\partial \varphi}{\partial x^2} - 2 \frac{\partial^2 w}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} \frac{\partial \varphi}{\partial x^2} - 2 \frac{\partial^2 w}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} \frac{\partial \varphi}{\partial x^2} - 2 \frac{\partial^2 w}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} - 2 \frac{\partial^2 w}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} - 2 \frac{\partial^2 w}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} - 2 \frac{\partial^2 w}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} - 2 \frac{\partial^2 w}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} - 2 \frac{\partial^2 w}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} - 2 \frac{\partial^2 w}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} - 2 \frac{\partial^2 w}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} - 2 \frac{\partial^2 w}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} - 2 \frac{\partial^2 w}{\partial x^2} \right) +$

NOTE: Dr. Bohun is on sabbatical in 2020/2021



- Investigate complex chemical processes. Examples include: the carbonate system, responsible for ocean acidification; the Acheson process, responsible for commercial production of silicon carbide.
 - Tissue engineering: the optimal placement of cells using magnetic micro-beads.




C. Sean Bohun (possible topics: 2 of 2)

NOTE: Dr. Bohun is on sabbatical in 2020/2021



- Modelling processes that characterize unknown samples to increase their current capabilities. Examples include: rotating disk apparatus, high resolution melt analysis and cyclic voltammetry.
- Develop mathematical tools to help design high power tuneable lasers.
- Model biological processes. Examples include: brain vascular systems and bone remodelling.


$$D[A] = \frac{\sigma e^{i\pi/4}}{\sqrt{\pi}} \int_{-\infty}^{\infty} A(\tau)e^{-i\sigma^2(\tau-T)^2} d\tau, \qquad L[A] = Ah.$$





Jane Breen (possible topics)

- Clustering algorithms in directed networks (with applications to road traffic dynamics)
- Kemeny's constant and graph connectivity
- Sensitivity analysis of Markov chain models




$$\frac{\partial \mathbf{u}}{\partial t} = \nu \nabla^2 \mathbf{u} - 2\mathbf{\Omega} \times \mathbf{u} + (g\mathbf{e})$$

$$\frac{\partial T}{\partial t} = \kappa \nabla^2 T - (\mathbf{u} \cdot \nabla) \mathbf{T},$$



$\nabla \cdot \mathbf{u} = 0$



- Transitions in atmospheric flow patterns
- Mathematical models for electro-location in weakly electric fish
- Mathematical aspects of MRI



Lennaert van Veen (possible topics)

- Phase transition in interface formation. Will include elements of: theory of interface formation, stochastic partial differential equations, numerical methods, data analysis.
- Bi-stability and critical noise. Includes: "flickering" noise in dynamical systems, the telegraph process, simple simulations.
- Stability analysis of shear flows. Will include elements of: Navier-Stokes flow, energy methods, Squire's theorem, Orr-Sommefeld equations.