

Applied and Industrial Mathematics

Undergraduate thesis topics


$$Eh \nabla^4 \varphi = \left(\frac{\partial^2}{\partial x^2} \frac{\partial^2}{\partial y^2} - 2 \frac{\partial^2}{\partial x \partial y} \frac{\partial^2}{\partial x \partial y} + \frac{\partial^2}{\partial y^2} \frac{\partial^2}{\partial x^2} \right) + \left(\frac{\partial^2}{\partial x^2} \frac{\partial^2}{\partial y^2} - \left(\frac{\partial x \partial y} \right) \right)$$

$$+ \frac{1}{Eh} \left(\frac{\partial^2 S_{xx}^e}{\partial y^2} - 2 \frac{\partial^2 S_{xy}^e}{\partial x \partial y} + \frac{\partial^2 S_{yy}^e}{\partial x^2} \right),$$

$$\nabla^4 w = P_{ext} + \left(\frac{\partial^2 w_0}{\partial x^2} \frac{\partial^2 \varphi}{\partial y^2} - 2 \frac{\partial^2 w_0}{\partial x \partial y} \frac{\partial^2 \varphi}{\partial x \partial y} + \frac{\partial^2 w_0}{\partial y^2} \frac{\partial^2 \varphi}{\partial x^2} \right) + \left(\frac{\partial^2 w}{\partial x^2} \frac{\partial^2 \varphi}{\partial y^2} - 2 \frac{\partial^2 w}{\partial x \partial y} \frac{\partial^2 \varphi}{\partial x \partial y} + \frac{\partial^2 w}{\partial y^2} \frac{\partial^2 \varphi}{\partial x^2} \right)$$

$$- \frac{1}{2(1-\nu)} \left(\frac{\partial^2}{\partial x^2} (M_{xx}^e + \nu M_{yy}^e) + 2(1-\nu) \frac{\partial^2}{\partial x \partial y} M_{xy}^e + \frac{\partial^2}{\partial y^2} (M_{yy}^e + \nu M_{xx}^e) \right) - \rho g h,$$




C. Sean Bohun (possible topics: 1 of 2)



- Predicting and prescribing distortion of thin glass sheets.
- Investigate complex chemical processes. Examples include:
 - the carbonate system, responsible for ocean acidification; the
 - Acheson process, responsible for commercial production of silicon carbide.



100µm



C. Sean Bohun (possible topics: 2 of 2)




■ Modelling processes that characterize unknown samples to increase their current capabilities. Examples include: rotating disk apparatus, high resolution melt analysis and cyclic voltammetry.

■ Develop mathematical tools to help design high power tuneable lasers.



■ Model biological processes. Examples include: brain vascular systems and bone remodelling.

```
= 1:length(a13)
a13(j) 0 0 0 0 0;
a14 0 0 0 0;
a15 0 0 0;
a16 0 0;
a17 0;
a18 0;
a19 0;
a20 0;
a21 0;
a22 0;
a23 0;
a24 0;
a25 0;
a26 0;
a27 0;
a28 0;
a29 0;
a30 0;
a31 0;
a32 0;
a33 0;
a34 0;
a35 0;
a36 0;
a37 0;
a38 0;
a39 0;
a40 0;
a41 0;
a42 0;
a43 0;
a44 0;
a45 0;
a46 0;
a47 0;
a48 0;
a49 0;
a50 0;
a51 0;
a52 0;
a53 0;
a54 0;
a55 0;
a56 0;
a57 0;
a58 0;
a59 0;
a60 0;
a61 0;
a62 0;
a63 0;
a64 0;
a65 0;
a66 0;
a67 0;
a68 0;
a69 0;
a70 0;
a71 0;
a72 0;
a73 0;
a74 0;
a75 0;
a76 0;
a77 0;
a78 0;
a79 0;
a80 0;
a81 0;
a82 0;
a83 0;
a84 0;
a85 0;
a86 0;
a87 0;
a88 0;
a89 0;
a90 0;
a91 0;
a92 0;
a93 0;
a94 0;
a95 0;
a96 0;
a97 0;
a98 0;
a99 0;
a100 0;
```

```
current = inv(C)*V; % CV
I(1) = V(1) - I*current(1);
I(2) = V(2) - I*current(2);
I(3) = V(3) - I*current(3);
I(4) = V(4) - I*current(4);
```



$$G[A] = \frac{A}{\sqrt{W_0}} \sqrt{aEe^E}, \quad E = \int_{-\infty}^{\infty} |A|^2 dt$$
$$M[A] = A \left[\frac{1}{2} - \frac{v}{2} \cos(\mu\pi e^{-T^2}) \right], \quad F[A] = Ae^{ib|A|^2},$$
$$D[A] = \frac{\sigma e^{i\pi/4}}{\sqrt{\pi}} \int_{-\infty}^{\infty} A(\tau) e^{-i\sigma^2(\tau-T)^2} d\tau, \quad L[A] = Ah.$$







Jane Breen (possible topics)

- Clustering algorithms in directed networks (with applications to road traffic dynamics)
- Kemeny's constant and graph connectivity
- Sensitivity analysis of Markov chain models

$$\bar{E}(h) = \sum_{j=1}^n m(F_j) \max_{x \in F_j} h(x)$$

$$\frac{n-1}{2} < K(P) \leq \frac{n-1}{1-\lambda_2}$$

$$-1 < \lambda_n < \lambda_{n-1} < \dots < \lambda_2 < \lambda_1 = 1$$





Mehran Ebrahimi (possible topics)

- Medical image registration
- Medical image segmentation
- Medical image fusion

$$\frac{\partial \mathbf{u}}{\partial t} = \nu \nabla^2 \mathbf{u} - 2\boldsymbol{\Omega} \times \mathbf{u} + (g\mathbf{e}_z - \nabla \Pi)$$

$$\frac{\partial T}{\partial t} = \kappa \nabla^2 T - (\mathbf{u} \cdot \nabla) T,$$

$$\nabla \cdot \mathbf{u} = 0$$



Greg Lewis (possible topics)

- Transitions in atmospheric flow patterns
- Mathematical models for electro-location in weakly electric fish
- Mathematical aspects of MRI

$$\nabla \cdot \mathbf{B} = 0,$$

$$\nabla \times \mathbf{E} = -i\omega \mathbf{B},$$

$$\nabla \times \mathbf{B} = \mu((\sigma + i\omega\epsilon) \mathbf{E} + \mathbf{j}_e)$$



Lennaert van Veen (possible topics)

- Phase transition in interface formation. Will include elements of: theory of interface formation, stochastic partial differential equations, numerical methods, data analysis.
- Bi-stability and critical noise. Includes: "flickering" noise in dynamical systems, the telegraph process, simple simulations.
- Stability analysis of shear flows. Will include elements of: Navier-Stokes flow, energy methods, Squire's theorem, Orr-Sommefeld equations.